

| Ljudtrycksnivå LwA dB(A) |       | Ljudtrycksnivå LpA = LwA - 7 dB(A) |     |     |     |      |      |      | Vid 1 m |
|--------------------------|-------|------------------------------------|-----|-----|-----|------|------|------|---------|
| ISO 5136.2               |       |                                    |     |     |     |      |      |      |         |
| n                        | LwA   | Hz                                 |     |     |     |      |      |      |         |
| min <sup>-1</sup>        | dB(A) | 63                                 | 125 | 250 | 500 | 1000 | 2000 | 4000 | 8000    |
| 3600                     | 68    | 29                                 | 38  | 49  | 57  | 61   | 62   | 64   | 49      |
| 2850                     | 62    | 23                                 | 32  | 43  | 51  | 55   | 56   | 58   | 43      |
| 1800                     | 52    | 13                                 | 22  | 33  | 41  | 45   | 46   | 48   | 33      |
| 1420                     | 47    | 8                                  | 17  | 28  | 36  | 40   | 41   | 43   | 28      |
| 950                      | 39    | 0                                  | 9   | 20  | 28  | 32   | 33   | 35   | 20      |
| 900                      | 37    | 0                                  | 7   | 18  | 26  | 30   | 31   | 33   | 18      |
| 710                      | 32    | 0                                  | 2   | 13  | 21  | 25   | 26   | 28   | 13      |


Upplaga 2024 • Med förbehåll för ändringar • Copyright by COLASIT AG, Spiez

COLASIT Scandinavia AB  
 Ventilation i plast • Villabergsvägen 4 • SE-53592 Kvänum  
 Tel. +46 (0)511 200 80 • info@colasit.se

www.colasit.se

Competence in plastics. Worldwide.





| Ljudtrycksnivå LwA dB(A) |       | Ljudtrycksnivå LpA = LwA - 7 dB(A) |     |     |     |      |      |      | Vid 1 m |  |
|--------------------------|-------|------------------------------------|-----|-----|-----|------|------|------|---------|--|
| ISO 5136.2               |       |                                    |     |     |     |      |      |      |         |  |
| n                        | LwA   | Hz                                 |     |     |     |      |      |      |         |  |
| min <sup>-1</sup>        | dB(A) | 63                                 | 125 | 250 | 500 | 1000 | 2000 | 4000 | 8000    |  |
| 3600                     | 73    | 39                                 | 38  | 53  | 59  | 70   | 68   | 65   | 54      |  |
| 2850                     | 67    | 33                                 | 32  | 47  | 53  | 64   | 62   | 59   | 48      |  |
| 1800                     | 57    | 23                                 | 22  | 37  | 43  | 54   | 52   | 49   | 38      |  |
| 1420                     | 52    | 18                                 | 17  | 32  | 38  | 49   | 47   | 44   | 33      |  |
| 950                      | 44    | 10                                 | 9   | 24  | 30  | 41   | 39   | 36   | 25      |  |
| 900                      | 42    | 8                                  | 7   | 22  | 28  | 39   | 37   | 34   | 23      |  |
| 710                      | 37    | 3                                  | 2   | 17  | 23  | 34   | 32   | 29   | 18      |  |


Upplaga 2024 • Med förbehåll för ändringar • Copyright by COLASIT AG, Spiez

COLASIT Scandinavia AB  
 Ventilation i plast • Villabergsvägen 4 • SE-53592 Kvänum  
 Tel. +46 (0)511 200 80 • info@colasit.se

www.colasit.se

Competence in plastics. Worldwide.





| Ljudtrycksnivå LwA dB(A) |       | Ljudtrycksnivå LpA = LwA - 7 dB(A) |     |     |     |      |      |      | Vid 1 m |  |
|--------------------------|-------|------------------------------------|-----|-----|-----|------|------|------|---------|--|
| ISO 5136.2               |       |                                    |     |     |     |      |      |      |         |  |
| n                        | LwA   | Hz                                 |     |     |     |      |      |      |         |  |
| min <sup>-1</sup>        | dB(A) | 63                                 | 125 | 250 | 500 | 1000 | 2000 | 4000 | 8000    |  |
| 3500                     | 78    | 35                                 | 50  | 61  | 70  | 75   | 73   | 66   | 56      |  |
| 2850                     | 73    | 30                                 | 45  | 56  | 65  | 70   | 68   | 61   | 51      |  |
| 1800                     | 63    | 20                                 | 35  | 46  | 55  | 60   | 58   | 51   | 41      |  |
| 1420                     | 58    | 15                                 | 30  | 41  | 50  | 55   | 53   | 46   | 36      |  |
| 950                      | 50    | 7                                  | 22  | 33  | 42  | 47   | 45   | 38   | 28      |  |
| 710                      | 43    | 0                                  | 15  | 26  | 35  | 40   | 38   | 31   | 21      |  |


Upplaga 2024 • Med förbehåll för ändringar • Copyright by COLASIT AG, Spiez

COLASIT Scandinavia AB  
 Ventilation i plast • Villabergsvägen 4 • SE-53592 Kvänum  
 Tel. +46 (0)511 200 80 • info@colasit.se

www.colasit.se

Competence in plastics. Worldwide.






| Ljudtrycksnivå LwA dB(A) |       | Ljudtrycksnivå LpA = LwA - 7 dB(A) |     |     |     |      |      |      |      | Vid 1 m |
|--------------------------|-------|------------------------------------|-----|-----|-----|------|------|------|------|---------|
| ISO 5136.2               |       |                                    |     |     |     |      |      |      |      |         |
| n                        | LwA   | Hz                                 |     |     |     |      |      |      |      |         |
| min <sup>-1</sup>        | dB(A) | 63                                 | 125 | 250 | 500 | 1000 | 2000 | 4000 | 8000 |         |
| 2900                     | 86    | 49                                 | 61  | 68  | 76  | 83   | 80   | 70   | 58   |         |
| 2850                     | 85    | 48                                 | 60  | 67  | 75  | 82   | 79   | 69   | 57   |         |
| 1420                     | 70    | 33                                 | 45  | 52  | 60  | 67   | 64   | 54   | 42   |         |
| 950                      | 62    | 25                                 | 37  | 44  | 52  | 59   | 56   | 46   | 34   |         |
| 710                      | 55    | 18                                 | 30  | 37  | 45  | 52   | 49   | 39   | 27   |         |

Upplaga 2024 • Med förbehåll för ändringar • Copyright by COLASIT AG, Spiez

**COLASIT Scandinavia AB**  
 Ventilation i plast • Villabergsvägen 4 • SE-53592 Kvänum  
 Tel. +46 (0)511 200 80 • info@colasit.se  
 www.colasit.se

Competence in plastics. Worldwide.





| Ljudtrycksnivå LwA dB(A) |       | Ljudtrycksnivå LpA = LwA - 7 dB(A) |     |     |     |      |      |      |      | Vid 1 m |
|--------------------------|-------|------------------------------------|-----|-----|-----|------|------|------|------|---------|
| ISO 5136.2               |       |                                    |     |     |     |      |      |      |      |         |
| n                        | LwA   | Hz                                 |     |     |     |      |      |      |      |         |
| min <sup>-1</sup>        | dB(A) | 63                                 | 125 | 250 | 500 | 1000 | 2000 | 4000 | 8000 |         |
| 2850                     | 85    | 63                                 | 66  | 74  | 77  | 84   | 73   | 67   | 63   |         |
| 2300                     | 81    | 59                                 | 62  | 70  | 73  | 80   | 69   | 63   | 59   |         |
| 1420                     | 70    | 48                                 | 51  | 59  | 62  | 69   | 58   | 52   | 48   |         |
| 1200                     | 67    | 45                                 | 48  | 56  | 59  | 66   | 55   | 49   | 45   |         |
| 950                      | 62    | 40                                 | 43  | 51  | 54  | 61   | 50   | 44   | 40   |         |
| 710                      | 55    | 33                                 | 36  | 44  | 47  | 54   | 43   | 37   | 33   |         |


Upplaga 2024 • Med förbehåll för ändringar • Copyright by COLASIT AG, Spiez

**COLASIT Scandinavia AB**  
 Ventilation i plast • Villabergsvägen 4 • SE-53592 Kvänum  
 Tel. +46 (0)511 200 80 • info@colasit.se

www.colasit.se

Competence in plastics. Worldwide.






| Ljudtrycksnivå LwA dB(A) |       | Ljudtrycksnivå LpA = LwA - 7 dB(A) |     |     |     |      |      |      | Vid 1 m |  |
|--------------------------|-------|------------------------------------|-----|-----|-----|------|------|------|---------|--|
| ISO 5136.2               |       |                                    |     |     |     |      |      |      |         |  |
| n                        | LwA   | Hz                                 |     |     |     |      |      |      |         |  |
| min <sup>-1</sup>        | dB(A) | 63                                 | 125 | 250 | 500 | 1000 | 2000 | 4000 | 8000    |  |
| 2850                     | 88    | 64                                 | 68  | 78  | 84  | 84   | 78   | 78   | 70      |  |
| 1800                     | 78    | 54                                 | 58  | 68  | 74  | 74   | 68   | 68   | 60      |  |
| 1420                     | 73    | 49                                 | 53  | 63  | 69  | 69   | 63   | 63   | 55      |  |
| 950                      | 65    | 41                                 | 45  | 55  | 61  | 61   | 55   | 55   | 47      |  |
| 710                      | 58    | 34                                 | 38  | 48  | 54  | 54   | 48   | 48   | 40      |  |
| 630                      | 56    | 32                                 | 36  | 46  | 52  | 52   | 46   | 46   | 38      |  |

Upplaga 2024 • Med förbehåll för ändringar • Copyright by COLASIT AG, Spiez

**COLASIT Scandinavia AB**  
 Ventilation i plast • Villabergsvägen 4 • SE-53592 Kvännum  
 Tel. +46 (0)511 200 80 • info@colasit.se  
 www.colasit.se

Competence in plastics. Worldwide.





| Ljudtrycksnivå LwA dB(A) |       | Ljudtrycksnivå LpA = LwA - 7 dB(A) |     |     |     |      |      |      | Vid 1 m |  |
|--------------------------|-------|------------------------------------|-----|-----|-----|------|------|------|---------|--|
| ISO 5136.2               |       |                                    |     |     |     |      |      |      |         |  |
| n                        | LwA   | Hz                                 |     |     |     |      |      |      |         |  |
| min <sup>-1</sup>        | dB(A) | 63                                 | 125 | 250 | 500 | 1000 | 2000 | 4000 | 8000    |  |
| 3600                     | 83    | 39                                 | 56  | 65  | 70  | 79   | 80   | 70   | 58      |  |
| 3150                     | 80    | 36                                 | 53  | 62  | 67  | 76   | 77   | 67   | 55      |  |
| 2850                     | 77    | 33                                 | 50  | 59  | 64  | 73   | 74   | 64   | 52      |  |
| 1420                     | 62    | 18                                 | 35  | 44  | 49  | 58   | 59   | 49   | 37      |  |
| 950                      | 54    | 10                                 | 27  | 36  | 41  | 50   | 51   | 41   | 29      |  |
| 710                      | 47    | 3                                  | 20  | 29  | 34  | 43   | 44   | 34   | 22      |  |


Upplaga 2024 • Med förbehåll för ändringar • Copyright by COLASIT AG, Spiez

COLASIT Scandinavia AB  
 Ventilation i plast • Villabergsvägen 4 • SE-53592 Kvänum  
 Tel. +46 (0)511 200 80 • info@colasit.se

www.colasit.se

Competence in plastics. Worldwide.





| Ljudtrycksnivå LwA dB(A) |       | Ljudtrycksnivå LpA = LwA - 7 dB(A) |     |     |     |      |      |      | Vid 1 m |
|--------------------------|-------|------------------------------------|-----|-----|-----|------|------|------|---------|
| ISO 5136.2               |       |                                    |     |     |     |      |      |      |         |
| n                        | LwA   | Hz                                 |     |     |     |      |      |      |         |
| min <sup>-1</sup>        | dB(A) | 63                                 | 125 | 250 | 500 | 1000 | 2000 | 4000 | 8000    |
| 3000                     | 86    | 50                                 | 65  | 73  | 76  | 82   | 81   | 73   | 61      |
| 2850                     | 84    | 48                                 | 63  | 71  | 74  | 80   | 79   | 71   | 59      |
| 2450                     | 81    | 45                                 | 60  | 68  | 71  | 77   | 76   | 68   | 56      |
| 1420                     | 69    | 33                                 | 48  | 56  | 59  | 65   | 64   | 56   | 44      |
| 950                      | 61    | 25                                 | 40  | 48  | 51  | 57   | 56   | 48   | 36      |
| 710                      | 54    | 18                                 | 33  | 41  | 44  | 50   | 49   | 41   | 29      |

Upplaga 2024 • Med förbehåll för ändringar • Copyright by COLASIT AG, Spiez


COLASIT Scandinavia AB  
 Ventilation i plast • Villabergsvägen 4 • SE-53592 Kvänum  
 Tel. +46 (0)511 200 80 • info@colasit.se

www.colasit.se

Competence in plastics. Worldwide.







| Ljudtrycksnivå LwA dB(A) |       | Ljudtrycksnivå LpA = LwA - 7 dB(A) |     |     |     |      |      |      |      | Vid 1 m |
|--------------------------|-------|------------------------------------|-----|-----|-----|------|------|------|------|---------|
| ISO 5136.2               |       |                                    |     |     |     |      |      |      |      |         |
| n                        | LwA   | Hz                                 |     |     |     |      |      |      |      |         |
| min <sup>-1</sup>        | dB(A) | 63                                 | 125 | 250 | 500 | 1000 | 2000 | 4000 | 8000 |         |
| 2850                     | 91    | 64                                 | 75  | 84  | 84  | 86   | 83   | 77   | 67   |         |
| 2300                     | 87    | 60                                 | 71  | 80  | 80  | 82   | 79   | 73   | 63   |         |
| 1950                     | 83    | 56                                 | 67  | 76  | 76  | 78   | 75   | 69   | 59   |         |
| 1420                     | 76    | 49                                 | 60  | 69  | 69  | 71   | 68   | 62   | 52   |         |
| 950                      | 68    | 41                                 | 52  | 61  | 61  | 63   | 60   | 54   | 44   |         |
| 710                      | 61    | 34                                 | 45  | 54  | 54  | 56   | 53   | 47   | 37   |         |

Upplaga 2024 • Med förbehåll för ändringar • Copyright by COLASIT AG, Spiez

COLASIT Scandinavia AB  
 Ventilation i plast • Villabergsvägen 4 • SE-53592 Kvänum  
 Tel. +46 (0)511 200 80 • info@colasit.se

www.colasit.se

Competence in plastics. Worldwide.

